








# Bench & long hole Drilling



GT60 (2 3/5")  
Thread

Bench & long  
hole drilling

Button bit	Dimensions D		Flushing hole (mm)		Buttons (mm)		Angle	Class	Part no.
	mm	in	Front No size	Gauge No size	Front No size	Gauge No size			
	102	4	4×11	–	6×13	8×14	35°	H	30102T6014D
	115	4 1/2	3×13	–	7×14	9×16	35°	H	30115T6016D
	92	3 5/8	3×11	–	6×12	9×12	35°	H	3092T60F15
	115	4 1/2	3×13	–	6×14	9×16	35°	H	30115T60F15
	127	5	3×14	–	9×14	9×16	35°	H	30127T6018D
	127	5	3×14	–	10×14	9×16	35°	H	30127T6019
	102	4	4×11	–	6×13	8×14	35°	H	30102T6014DR
	115	4 1/2	3×13	–	7×14	9×16	35°	H	30115T6016DR

# GT60 (2 3/5") Thread

## Button bit

	Dimensions D		Flushing hole (mm)		Buttons (mm)		Angle	Class	Part no.
	mm	in	Front No size	Gauge No size	Front No size	Gauge No size			
	92	3 5/8	3×11	–	6×12	9×12	35°	H	3092T60F15R
	115	4 1/2	3×13	–	6×14	9×16	35°	H	30115T60F15R
	127	5	3×14	–	9×14	9×16	35°	H	30127T6018DR
	127	5	3×14	–	10×14	9×16	35°	H	30127T6019R

Bench & long hole drilling

## Drill rod

Rod Ø60 with threads GT60/GT60



	Dimensions L			Dimensions D		Part no.
	mm	ft	in	mm	in	
	3660	12	–	60	2 3/5	2060T60MF36
	4270	14	–	60	2 3/5	2060T60MF42
	6100	20	–	60	2 3/5	2060T60MF61

# "Globe Drilling Industry Experts"

No matter what kinds of soft rock, loose-medium rock, hard rock and any other special formations, just tell us what you need, our special tailored service is waiting for you upon you demand.



## **KEMAICO USA CORPORATION**

Add: 300 Knightsbridge Pkwy Ste. 113 Lincolnshire, IL 60069

Tel: 1-847-9136878

Fax: 1-847-9136879

Email: [office@kemaico.us](mailto:office@kemaico.us)

[info@kemaico.us](mailto:info@kemaico.us)

Web: [www.kemaico.us](http://www.kemaico.us)