











Bench & long hole Drilling

T51 (2")
Thread

Bench & long
hole drilling

Button bit	Dimensions D		Flushing hole (mm)		Buttons (mm)		Angle	Class	Part no.
	mm	in	Front No size	Gauge No size	Front No size	Gauge No size			
 	89	3 1/2	2×12	2×7	6×12	8×14	35°	H	3089T5114
	102	4	2×14	-	6×13	8×14	35°	H	30102T5114
 	115	4 1/2	4×13	-	6×14	8×16	35°	H	30115T51F14
	89	3 1/2	4×10	-	6×12	8×14	35°	M	3089T5114D
 	102	4	4×11	-	6×13	8×14	35°	M	30102T5114D
	115	4 1/2	4×13	-	6×14	8×16	35°	M	30115T5114D
 	127	5	3×13	-	10×14	9×16	35°	H	30127T5119
	127	5	3×13	-	9×14	9×14	35°	M	30127T5118D
 	127	5	3×13	-	9×14	9×16	35°	H	30127T5118R

Button bit



Dimensions D		Flushing hole (mm)		Buttons (mm)		Angle	Class	Part no.
mm	in	Front No size	Gauge No size	Front No size	Gauge No size			
89	3 1/2	2×11	2×8	6×12	8×14	35°	H	3089T51F14R
102	4	4×11	-	6×13	8×14	35°	H	30102T51F14R
115	4 1/2	4×13	-	6×14	8×16	35°	H	30115T51F14R




89	3 1/2	4×10	-	6×12	8×14	35°	M	3089T5114DR
102	4	4×11	-	6×13	8×14	35°	M	30102T5114DR
115	4 1/2	4×13	-	6×14	8×16	35°	M	30115T5114DR



127	5	3×13	-	9×14	9×14	35°	M	30127T5118DR
-----	---	------	---	------	------	-----	---	--------------

Reaming tools

Dome bit



152	6	5×10	2×10	2×14	20×14	35°	-	30152T5122KD
-----	---	------	------	------	-------	-----	---	--------------

Bench & long hole Drilling

T51 (2")
Thread

Drill rod

Rod Ø51 with threads T51/T51



Rod Ø51 with threads T51/T51 (MF)



Dimensions L			Dimensions D		Part no.
mm	ft	in	mm	in	
3660	12	-	51	2	2051T5136
4270	14	-	51	2	2051T5142
6100	20	-	51	2	2051T5161

1525	5	-	51	2	2051T51MF15
1830	6	-	51	2	2051T51MF18
3660	12	-	51	2	2051T51MF36
4270	14	-	51	2	2051T51MF42

Bench & long
hole drilling

Coupling

T51-T51



Dimensions L			Dimensions D		Part no.
mm	ft	in	mm	in	
235	9	1/4	72	2 1/8	MX-T517223

T51-T51



235	9	1/4	77	3	MX-T517723
-----	---	-----	----	---	------------

Crossover coupling T51-T45



240	9	1/2	72	2 7/8	MX-T51T457224
-----	---	-----	----	-------	---------------

"Globe Drilling Industry Experts"

No matter what kinds of soft rock, loose-medium rock, hard rock and any other special formations, just tell us what you need, our special tailored service is waiting for you upon you demand.



KEMAICO USA CORPORATION

Add: 300 Knightsbridge Pkwy Ste. 113 Lincolnshire, IL 60069

Tel: 1-847-9136878

Fax: 1-847-9136879

Email: office@kemaico.us

info@kemaico.us

Web: www.kemaico.us